


2019
November

Tobacco Facts: Adults



Center for Urban Population Health
University of Wisconsin-Milwaukee



ACKNOWLEDGEMENTS

This report was prepared by Karen A. Palmersheim, Ph.D., and Kaija L. Zusevics, Ph.D. Dr. Palmersheim is an epidemiologist and associate scientist, and Dr. Zusevics is an associate researcher, both with the University of Wisconsin-Milwaukee, Center for Urban Population Health.

The Center for Urban Population Health is a partnership of Aurora Health Care/Aurora Research Institute, LLC, the University of Wisconsin-Milwaukee, and the University of Wisconsin School of Medicine and Public Health.

Support for this report was provided by the Wisconsin Department of Health Services, Division of Public Health, Bureau of Community Health Promotion, Tobacco Prevention and Control Program.

Suggested citation: Palmersheim KA, Zusevics KL. *Wisconsin Tobacco Facts: Adults (November 2019)*. Milwaukee, WI: University of Wisconsin-Milwaukee, Center for Urban Population Health; 2019 (November).

PREFACE

This report presents the most recent data available on trends in tobacco use, tobacco-related exposure and attitudes among Wisconsin adults. The findings presented here are intended to provide a resource for state and local health departments, health professionals, and local coalitions working towards the reduction of tobacco use and exposure to secondhand smoke and vapor in Wisconsin. This report may also assist public health agencies attempting to assess progress in the reduction of tobacco use and exposure among adults, and aid in the determination of focusing future programmatic efforts.

Table of Contents

Section A. Cigarette Use
Figure A.1. Prevalence of Current Cigarette Smoking, Adults, Wisconsin and the United States, 1993- 2018
Figure A.2. Cigarette Smoking Status, Overall and by Sex, Adults, Wisconsin, 2018A1
Table A.1. Percent and Number of Current Cigarette Smokers, Adults, Wisconsin, 1990-2018A2
Table A.2. Prevalence of Current Cigarette Smoking, by Select Characteristics, Adults, Wisconsin, 2014-2018
Figure A.3. Prevalence of Current Cigarette Smoking, by Educational Attainment, Adults, Wisconsin, 1993-2018, by 3-Year Averages
Section B. E-Cigarette Use and Related Attitudes
Figure B.1. Prevalence of Ever E-Cigarette Use, Overall and by Cigarette Smoking Status, Adults, Wisconsin, 2018
Figure B.2. Prevalence of Current E-Cigarette Use, Overall and by Cigarette Smoking Status, Adults, Wisconsin, 2018
Table B.1. Prevalence of Ever E-Cigarette Use, by Select Characteristics, Adults, Wisconsin, 2014-2018B2
Table B.2. Prevalence of Current E-Cigarette Use, by Select Characteristics, Adults, Wisconsin, 2016-2018
Table B.3. Reasons for E-Cigarette Use, Adults Who Have Ever Used E-Cigarettes, Wisconsin, 2018 B4
Figure B.3. Perception of Whether E-Cigarettes are Less Harmful Than Regular Cigarettes, Adults, Wisconsin, 2018
Section C. Smokeless Tobacco Use
Figure C.1. Prevalence of Ever and Current Smokeless Tobacco Use, Overall and by Sex, Adults, Wisconsin, 2018
Figure C.2. Prevalence of Current Smokeless Tobacco Use Among Males, Overall and by Cigarette Smoking Status, Adults, Wisconsin, 2018
Table C.1. Prevalence of Current Smokeless Tobacco Use, by Select Characteristics, Adult Males, Wisconsin, 2014-2018
Section D. Secondhand Smoke and Vapor Exposure, Rules and Policies on Smoking, and Related Attitudes
Figure D.1. Percent of Adults Exposed to Tobacco Smoke in the Home, Wisconsin, 2018, and in Vehicles, Wisconsin, 2017
Figure D.2. Frequency of Exposure to Tobacco Smoke in Outdoor Public Places, Adults, Wisconsin, 2018
Figure D.3. Frequency of Exposure to Vapor from E-Cigarettes or Other Electronic Vaping Devices in

Section E. Data Sources	1
Table D.3. Opinion on a State Law That Would Prohibit Smoking in Public Outdoor Places, Adults, Wisconsin, 2018D)7
Table D.2. Opinion on the State Law That Prohibits Smoking in Public Indoor Places, Adults, Wisconsin, 2017)6
Figure D.6. Preferences on Allowing Smoking in Individual Units of Multi-Unit Housing Buildings, Adults, Wisconsin, 2017	
Table D.1. Policies on Smoking in Individual Units of Multi-Unit Housing Buildings, Adults, Wisconsin, 2017)5
Figure D.5. Rules on Smoking in Vehicles, Adults, Wisconsin, 2018	15
Figure D.4. Rules on Smoking in the Home, Adults, Wisconsin, 2017	14




Figure A1. Prevalence of Current Cigarette Smoking, Adults, Wisconsin & the United States, 1993-2018

Data: Behavioral Risk Factor Survey, Wisconsin and the United States




Figure A.2. Cigarette Smoking Status, Overall and by Sex, Adults, Wisconsin, 2018

Data: Wisconsin Behavioral Risk Factor Survey

^{*} Data collection methodology included the addition of cell phones beginning in 2011; Data from 2011 onward cannot be merged with previous years.

Table A.1. Percent and Number of Current Cigarette Smokers, Adults, Wisconsin, 1990-2018

Year	Percent	Number of Smokers
1990	25%	899,874
1991	26%	946,210
1992	23%	843,147
1993	23%	850,175
1994	23%	859,542
1995	22%	828,828
1996	25%	954,199
1997	23%	887,514
1998	23%	896,629
1999	24%	945,963
2000	24%	958,780
2001	24%	976,971
2002	23%	948,290
2003	22%	914,910
2004	22%	929,061
2005	21%	897,729
2006	21%	900,429
2007	20%	862,767
2008	20%	869,564
2009	19%	828,080
2010	19%	826,024
2011*	21%	918,976
2012	20%	879,665
2013	19%	840,753
2014	17%	756,009
2015	17%	759,779
2016	17%	762,443
2017	16%	722,349
2018	16%	721,432

^{*} Data collection methodology included the addition of cell phones beginning in 2011; Data from 2011 onward cannot be merged with previous years.

Note: All estimates were rounded to the nearest whole number.

Data: Wisconsin Behavioral Risk Factor Survey; Wisconsin Interactive Statistics on Health

Table A.2. Prevalence of Current Cigarette Smoking, by Select Characteristics, Adults, Wisconsin, 2014-2018*


Average Prevalence of Current Cigarette Smoking in WI,	, 2014-2018: 16.8%
Age	
18-24 years	14.8%
25-29 years	19.5%
30-39 years	22.5%
40-54 years	20.2%
55-64 years	17.5%
65-74 years	10.8%
75-99 years	4.5%
Gender	
Male	18.4%
Female	15.3%
Race/Ethnicity	
Non-Hispanic White Only	16.4%
Non-Hispanic Black Only	25.5%
Non-Hispanic American Indian/Alaskan Native Only	36.7%
Non-Hispanic Asian/Native Hawaiian/Pacific Islander Only	10.7%
Non-Hispanic Multi-Racial	28.3%
Hispanic/Latino	13.2%
Educational Attainment (age 25 or older)**	
Less Than High School	30.5%
High School Graduate/GED	22.2%
Some College	17.8%
College Graduate +	6.3%
Annual Household Income	
<\$15,000	31.8%
\$15,000-\$24,999	26.9%
\$25,000-\$34,999	20.7%
\$35,000-\$49,999	18.1%
\$50,000-\$74,999	13.6%
\$75,000+	10.1%
Urban/Rural County of Residence (2017-2018)***	
Urban	15.4%
Rural	20.8%
Sexual Orientation	
Heterosexual	16.4%
Lesbian/Gay/Bisexual/Other	25.9%

^{*} Five years of data were merged to increase sub-sample sizes, thereby improving the reliability of estimates.

^{**} Analysis was limited to adults aged 25 years or older to control for the confounding of age with level of educational attainment.

^{***} Data on urbanicity of counties were only available for 2017 and 2018.

Figure A.3. Prevalence of Current Cigarette Smoking, by Educational Attainment, Adults*, Wisconsin, 1993-2018, by 3-Year Averages†±



^{*} Analysis was limited to adults aged 25 years or older to control for the confounding of age with level of educational attainment.


± Only 2 years of data were available for the final merged estimate. Subsample sizes ranged from 453 to 3,592. **Data:** Wisconsin Behavioral Risk Factor Survey

[†] Data collection methodology included the addition of cell phones beginning in 2011; Data from 2011 onward cannot be merged with previous years.

70% 61.9% 57.6% 60% 50% 40% 30% 21.8% 21.3% 20% 11.0% 10% 0% Overall **Never Smoker** Former Smoker **Current Smoker Current Smoker** (some days) (every day)

Figure B.1. Prevalence of Ever E-Cigarette Use, Overall and by Cigarette Smoking Status, Adults, Wisconsin, 2018





Data: Wisconsin Behavioral Risk Factor Survey

Table B.1. Prevalence of Ever E-Cigarette Use, by Select Characteristics, Adults, Wisconsin, 2014-2018*

Average Prevalence of Ever Use of E-Cigarettes in WI, 20	14-2018: 18.2%
Age	
18-24 years	38.2%
25-29 years	31.0%
30-39 years	25.6%
40-54 years	16.6%
55-64 years	11.6%
65-74 years	6.6%
75-99 years	1.6%
Gender	
Male	20.4%
Female	16.1%
Race/Ethnicity	
Non-Hispanic White Only	18.0%
Non-Hispanic Black Only	18.4%
Non-Hispanic American Indian/Alaskan Native Only	30.4%
Non-Hispanic Asian/Native Hawaiian/Pacific Islander Only	13.7%
Non-Hispanic Multi-Racial	36.8%
Hispanic/Latino	17.3%
Educational Attainment (age 25 or older)*	
Less Than High School	20.0%
High School Graduate/GED	17.4%
Some College	17.7%
College Graduate +	8.8%
Annual Household Income	
<\$15,000	27.5%
\$15,000-\$24,999	24.0%
\$25,000-\$34,999	21.4%
\$35,000-\$49,999	19.1%
\$50,000-\$74,999	16.2%
\$75,000+	13.8%
Urban/Rural County of Residence (2017-2018)**	
Urban	20.8%
Rural	18.9%
Sexual Orientation	
Heterosexual	17.5%
Lesbian/Gay/Bisexual/Other	32.1%

^{*} Five years of data were merged to increase sub-sample sizes, thereby improving the reliability of estimates.

^{**} Analysis was limited to adults aged 25 years or older to control for the confounding of age with level of educational attainment.

^{***} Data on urbanicity of counties were only available for 2017 and 2018.

Table B.2. Prevalence of Current E-Cigarette Use, by Select Characteristics, Adults, Wisconsin, 2016-2018*

Average Prevalence of Current E-Cigarette Use in WI, 2	2016-2018: 4.8%
Age	
18-24 years	12.8%
25-29 years	7.7%
30-39 years	5.9%
40-54 years	3.9%
55-64 years	3.2%
65-74 years	1.1%
75-99 years	0.4%
Gender	
Male	5.9%
Female	3.8%
Race/Ethnicity	
Non-Hispanic White Only	4.7%
Non-Hispanic Black Only	3.9%
Non-Hispanic American Indian/Alaskan Native Only	9.6%
Non-Hispanic Asian/Native Hawaiian/Pacific Islander Only	0.3%
Non-Hispanic Multi-Racial	13.3%
Hispanic/Latino	5.5%
Educational Attainment (age 25 or older)**	
Less Than High School	6.8%
High School Graduate/GED	3.9%
Some College	3.9%
College Graduate +	2.0%
Annual Household Income	
<\$15,000	7.4%
\$15,000-\$24,999	5.7%
\$25,000-\$34,999	5.5%
\$35,000-\$49,999	5.5%
\$50,000-\$74,999	2.6%
\$75,000+	4.0%
Urban/Rural County of Residence (2017-2018)***	
Urban	4.7%
Rural	3.8%
Sexual Orientation	
Heterosexual	4.6%
Lesbian/Gay/Bisexual/Other	10.0%

^{*} Data on current e-cigarette use are only available for 2016, 2017, and 2018. All 3 data years were merged to increase sub-sample sizes, thereby improving the reliability of estimates.


^{**} Analysis was limited to adults aged 25 years or older to control for the confounding of age with level of educational attainment.

^{***} Data on urbanicity of counties were only available for 2017 and 2018.

Table B.3. Reasons for E-Cigarette Use, Adults Who Have Ever Used E-Cigarettes, Wisconsin, 2018


Reason Used E-Cigarettes	Percent
They are in style, fun, or cool	14.3%
Like the flavors	38.1%
You can use them indoors where you can't smoke other tobacco products	38.2%
You can use them at outdoor events where you can't smoke other products	32.3%
Help in trying to quit smoking regular tobacco products	53.0%
They are less harmful to your health than regular tobacco products	35.8%
The vapor is less harmful to the people around you than regular tobacco products	36.6%

Figure B.3. Perception of Whether E-Cigarettes are Less Harmful Than Regular Cigarettes, Adults, Wisconsin, 2018



Data: Wisconsin Behavioral Risk Factor Survey

Figure C.1. Prevalence of Ever and Current Smokeless Tobacco* Use, Overall and by Sex, Adults, Wisconsin, 2018



^{*} Smokeless tobacco includes products such as chewing tobacco, snuff, snus, dip, orbs, sticks, and strips. **Data:** Wisconsin Behavioral Risk Factor Survey

Figure C.2. Prevalence of Current Smokeless Tobacco Use Among Males, Overall and by Cigarette Smoking Status, Adults, Wisconsin, 2018




Table C.1. Prevalence of Current Smokeless Tobacco Use, by Select Characteristics, Adult Males, Wisconsin, 2014-2018*

Average Prevalence of Current Smokeless Tobacco Use among Mal	es in WI, 2014-2018: 7.1%
Age	
18-24 years	9.0%
25-29 years	8.8%
30-39 years	9.4%
40-54 years	8.5%
55-64 years	4.7%
65-74 years	3.5%
75-99 years	3.9%
Race/Ethnicity	
Non-Hispanic White Only	7.5%
Non-Hispanic Black Only	3.1%
Non-Hispanic American Indian/Alaskan Native Only	6.6%
Non-Hispanic Asian/Native Hawaiian/Pacific Islander Only	3.4%
Non-Hispanic Multi-Racial	6.4%
Hispanic/Latino	5.4%
Educational Attainment (age 25 or older)**	
Less Than High School	6.5%
High School Graduate/GED	8.3%
Some College	7.6%
College Graduate +	4.3%
Annual Household Income	
<\$15,000	6.3%
\$15,000-\$24,999	7.2%
\$25,000-\$34,999	6.8%
\$35,000-\$49,999	7.2%
\$50,000-\$74,999	8.4%
\$75,000+	7.2%
Urban/Rural County of Residence (2017-2018)***	
Urban	5.8%
Rural	13.0%
Sexual Orientation	
Heterosexual	7.3%
Lesbian/Gay/Bisexual/Other	5.1%

^{*} Five years of data were merged to increase sub-sample sizes, thereby improving the reliability of estimates.


November 2019

^{**} Analysis was limited to adults aged 25 years or older to control for the confounding of age with level of educational attainment.

^{***} Data on urbanicity of counties were only available for 2017 and 2018.

SECTION D. SECONDHAND SMOKE AND VAPOR EXPOSURE, RULES AND POLICIES ON SMOKING, AND RELATED ATTITUDES

Figure D.1. Percent of Adults Exposed to Tobacco Smoke in the Home*, Wisconsin, 2018^, and in Vehicles†, Wisconsin, 2017^




^{*} Smoke exposure in the home was assessed with the following question: Are you exposed to other people's tobacco smoke while you are in your home?

Data: Wisconsin Behavioral Risk Factor Survey

[†] Smoke exposure in vehicles was assessed with the following question: During the past seven days, on how many days did you ride in a car with someone who was smoking cigarettes?


[^] Not all questions are asked in the Wisconsin Behavioral Risk Factor Survey every year. The most recently available data were used for each analysis.

Figure D.2. Frequency of Exposure to Tobacco Smoke in Outdoor Public Places*, Adults, Wisconsin, 2018



^{*}Smoke exposure in public places was assessed with the following question: How often are you exposed to other people's tobacco smoke while in outdoor public places, such as parks, beaches, sporting events, or other outdoor venues?

Figure D.3. Frequency of Exposure to Vapor from E-Cigarettes or Other Electronic Vaping Devices in Indoor Public Places*, Adults, Wisconsin, 2018



^{*} Exposure to vapors from e-cigarettes or other electronic vaping devices while in indoor public places was assessed with the following question: How often are you exposed to the vapor from other people's e-cigarettes or other electronic vaping devices while in indoor public places? Often, sometimes, rarely or never?

Data: Wisconsin Behavioral Risk Factor Survey




Figure D.4. Rules on Smoking in the Home*, Adults, Wisconsin, 2017

^{*} Rules on smoking in the home were assessed with the following question: Not counting decks, porches, or garages, which statement best describes the rules about smoking in your home: smoking is not allowed anywhere inside your home, smoking is allowed in some places or at some times, smoking is allowed anywhere inside your home, or there are no rules about smoking inside your home?




Figure D.5. Rules on Smoking in Vehicles*, Adults, Wisconsin, 2018

Never Allowed in Any

Vehicle

Sometimes Allowed in at

least One Vehicle

0.2%

No Owned or Leased

Vehicles

Data: Wisconsin Behavioral Risk Factor Survey

5.9%

Always Allowed in All

Vehicles

10%

0%


Table D.1. Policies on Smoking in Individual Units of Multi-Unit Housing Buildings, Adults*, Wisconsin, 2017

Is Smoking Prohibited in Your Housing Unit?	Prevalence
Yes	48.3%
No	51.7%

^{*} This question is only asked of survey respondents who say they live in multi-unit housing buildings. **Data:** Wisconsin Behavioral Risk Factor Survey

^{*} Rules on smoking in vehicles were assessed with the following question: Not counting motorcycles, in the vehicles that you or family members who live with you own or lease, is smoking always allowed in all vehicles, sometimes allowed in at least one vehicle, or never allowed in any vehicle? Respondents could also report that they did not own or lease any vehicles.

Figure D.6. Preferences on Allowing Smoking in Individual Units of Multi-Unit Housing Buildings, Adults*, Wisconsin, 2017



^{*} This question is only asked of survey respondents who say they live in multi-unit housing buildings. **Data:** Wisconsin Behavioral Risk Factor Survey

Table D.2. Opinion on the State Law That Prohibits Smoking in Public Indoor Places, Adults, Wisconsin, 2017

Opinion on Law	Prevalence
Oppose	6.1%
Neither Favor nor Oppose	16.6%
Favor	77.3%

^{*} Opinion on Wisconsin's state law that prohibits smoking in public indoor places was assessed with the following question: The State of Wisconsin has passed a law that prohibits smoking in most public places, including all workplaces, public buildings, offices, restaurants, and bars. Are you in favor of this law, opposed to this law, or neither in favor nor opposed to it? [If favor] Are you slightly in favor of the law, somewhat in favor of it, or strongly in favor of it? [If oppose] Are you slightly opposed to the law, somewhat opposed to it, or strongly opposed to it?

Data: Wisconsin Behavioral Risk Factor Survey

Table D.3. Opinion on a State Law That Would Prohibit Smoking in Public Outdoor Places*, Adults, Wisconsin, 2018

Opinion on Law	Prevalence
Oppose	21.8%
Neither Favor nor Oppose	55.4%
Favor	44.6%

^{*} Opinion on a state law that would prohibit smoking in public outdoor places was assessed with the following question: Would you be in favor of, or opposed to, a law that prohibits smoking in public outdoor places such as parks, beaches, sporting events, or other outdoor venues? Would you be in favor of this law, opposed to this law, or neither in favor of nor opposed to it? [If favor] Would you be slightly in favor of the law, somewhat in favor of it, or strongly in favor of it? [If oppose] Would you be slightly opposed to the law, somewhat opposed to it, or strongly opposed to it?

SECTION E. DATA SOURCES

Behavioral Risk Factor Surveillance System. U.S. adult smoking data are from the national Behavioral Risk Factor Surveillance System (BRFSS). The system is overseen by the U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Available from: https://www.cdc.gov/brfss/.

Wisconsin Behavioral Risk Factor Survey. Wisconsin adult tobacco-related data are from the Wisconsin Behavioral Risk Factor Survey (BRFS). The survey is conducted by the Wisconsin Department of Health Services, Division of Public Health, Office of Health Informatics.

Wisconsin Interactive Statistics on Health. Wisconsin population estimates are from Wisconsin Interactive Statistics on Health (WISH), which employs multiple sources from protected databases. WISH is developed and maintained by the Wisconsin Department of Health Services, Division of Public Health, Office of Health Informatics. Available from: https://www.dhs.wisconsin.gov/wish/.